

# R-VAN Rotary Nozzles



## R-VAN

- ✓ Adjust by hand
- ✓ Pull-up to flush
- ✓ Even watering
- ✓ Wind resistant

## Competitor

- ✗ Tool required
- ✗ Clogs
- ✗ Not matched precipitation
- ✗ Thin streams

2.4m to 4.6m



**R-VAN14**  
45° - 270°

**R-VAN14-360**  
360°

4.0m to 5.5m



**R-VAN18**  
45° - 270°

**R-VAN18-360**  
360°

5.2m to 7.3m



**R-VAN24**  
45° - 270°

**R-VAN24-360**  
360°

Strip Nozzles



**R-VAN-LCS**  
1.5m x 4.6m  
Left Corner Strip










**R-VAN-SST**  
1.5m x 9.1m  
Side Strip










**R-VAN-RCS**  
1.5m x 4.6m  
Right Corner Strip












# Rotary Nozzle Performance Data


## Adjustable Arc Nozzles


R-VAN14 (2.4m to 4.6m)					
Arc	Pressure bar	Radius m	Flow l/m	Precip. (mm/h)	
	2.1	4.0	3.18	16	19
	2.4	4.0	3.29	17	19
	2.8	4.3	3.48	15	18
	<b>3.1</b>	<b>4.3</b>	<b>3.56</b>	<b>16</b>	<b>18</b>
	3.4	4.6	4.20	16	19
	2.1	4.0	2.82	16	19
	2.4	4.0	2.93	17	19
	2.8	4.3	3.10	15	18
	<b>3.1</b>	<b>4.3</b>	<b>3.16</b>	<b>16</b>	<b>18</b>
	3.4	4.6	3.73	16	19
	2.1	4.0	2.46	16	19
	2.4	4.0	2.57	17	19
	2.8	4.3	2.73	15	18
	<b>3.1</b>	<b>4.3</b>	<b>2.76</b>	<b>16</b>	<b>18</b>
	3.4	4.6	3.26	16	19
	2.1	4.0	2.12	16	19
	2.4	4.0	2.20	17	19
	2.8	4.3	2.31	15	18
	<b>3.1</b>	<b>4.3</b>	<b>2.38</b>	<b>16</b>	<b>18</b>
	3.4	4.6	2.80	16	19
	2.1	4.0	1.77	16	19
	2.4	4.0	1.83	17	19
	2.8	4.3	1.96	15	18
	<b>3.1</b>	<b>4.3</b>	<b>2.02</b>	<b>16</b>	<b>18</b>
	3.4	4.6	2.33	16	19
	2.1	4.0	1.41	16	19
	2.4	4.0	1.46	17	19
	2.8	4.3	1.56	15	18
	<b>3.1</b>	<b>4.3</b>	<b>1.62</b>	<b>16</b>	<b>18</b>
	3.4	4.6	1.87	16	19
	2.1	4.0	1.06	16	19
	2.4	4.0	1.10	17	19
	2.8	4.3	1.17	16	18
	<b>3.1</b>	<b>4.3</b>	<b>1.21</b>	<b>15</b>	<b>18</b>
	3.4	4.6	1.40	16	19
	2.1	4.0	0.71	16	19
	2.4	4.0	0.73	17	19
	2.8	4.3	0.78	15	18
	<b>3.1</b>	<b>4.3</b>	<b>0.81</b>	<b>16</b>	<b>18</b>
	3.4	4.6	0.93	16	19
	2.1	4.0	0.53	16	19
	2.4	4.0	0.55	17	19
	2.8	4.3	0.59	15	18
	<b>3.1</b>	<b>4.3</b>	<b>0.61</b>	<b>16</b>	<b>18</b>
	3.4	4.6	0.70	16	19


R-VAN18 (4.0m to 5.5m)					
Arc	Pressure bar	Radius m	Flow l/m	Precip. (mm/h)	
	2.1	4.9	4.77	17	19
	2.4	4.9	5.11	16	19
	2.8	5.2	5.38	16	19
	<b>3.1</b>	<b>5.2</b>	<b>5.72</b>	<b>16</b>	<b>19</b>
	3.4	5.5	5.94	15	18
	2.1	4.9	4.24	16	19
	2.4	4.9	4.54	17	20
	2.8	5.2	4.77	16	18
	<b>3.1</b>	<b>5.2</b>	<b>5.07</b>	<b>17</b>	<b>20</b>
	3.4	5.5	5.28	16	18
	2.1	4.9	3.71	16	19
	2.4	4.9	3.97	17	20
	2.8	5.2	4.16	16	19
	<b>3.1</b>	<b>5.2</b>	<b>4.43</b>	<b>16</b>	<b>20</b>
	3.4	5.5	4.62	16	18
	2.1	4.9	3.22	17	19
	2.4	4.9	3.44	16	19
	2.8	5.2	3.71	16	19
	<b>3.1</b>	<b>5.2</b>	<b>3.82</b>	<b>16</b>	<b>19</b>
	3.4	5.5	4.05	15	18
	2.1	4.9	2.68	16	19
	2.4	4.9	2.87	17	20
	2.8	5.2	3.09	17	19
	<b>3.1</b>	<b>5.2</b>	<b>3.19</b>	<b>17</b>	<b>20</b>
	3.4	5.5	3.38	16	19
	2.1	4.9	2.15	16	19
	2.4	4.9	2.30	17	20
	2.8	5.2	2.47	17	19
	<b>3.1</b>	<b>5.2</b>	<b>2.55</b>	<b>17</b>	<b>20</b>
	3.4	5.5	2.70	16	19
	2.1	4.9	1.59	17	19
	2.4	4.9	1.78	16	19
	2.8	5.2	1.89	16	19
	<b>3.1</b>	<b>5.2</b>	<b>1.89</b>	<b>16</b>	<b>19</b>
	3.4	5.5	2.04	15	18
	2.1	4.9	1.06	16	19
	2.4	4.9	1.19	18	21
	2.8	5.2	1.26	17	20
	<b>3.1</b>	<b>5.2</b>	<b>1.26</b>	<b>17</b>	<b>20</b>
	3.4	5.5	1.36	16	19
	2.1	4.9	0.79	16	19
	2.4	4.9	0.89	18	21
	2.8	5.2	0.95	17	20
	<b>3.1</b>	<b>5.2</b>	<b>0.95</b>	<b>17</b>	<b>20</b>
	3.4	5.5	1.02	16	19


R-VAN24 (5.2m to 7.3m)					
Arc	Pressure bar	Radius m	Flow l/m	Precip. (mm/h)	
	2.1	5.8	6.81	16	19
	2.4	6.1	7.38	16	18
	2.8	6.7	8.74	16	18
	<b>3.1</b>	<b>7.0</b>	<b>9.54</b>	<b>16</b>	<b>18</b>
	3.4	7.3	10.67	16	18
	2.1	5.8	6.06	16	19
	2.4	6.1	6.57	16	18
	2.8	6.7	7.78	16	18
	<b>3.1</b>	<b>7.0</b>	<b>8.48</b>	<b>16</b>	<b>18</b>
	3.4	7.3	9.48	16	18
	2.1	5.8	5.30	16	19
	2.4	6.1	5.75	16	18
	2.8	6.7	6.81	16	18
	<b>3.1</b>	<b>7.0</b>	<b>7.42</b>	<b>16</b>	<b>18</b>
	3.4	7.3	8.29	16	18
	2.1	5.8	4.54	16	19
	2.4	6.1	4.92	16	18
	2.8	6.7	5.83	16	18
	<b>3.1</b>	<b>7.0</b>	<b>6.36</b>	<b>16</b>	<b>18</b>
	3.4	7.3	7.12	16	18
	2.1	5.8	3.79	16	19
	2.4	6.1	4.10	16	18
	2.8	6.7	4.86	16	18
	<b>3.1</b>	<b>7.0</b>	<b>5.30</b>	<b>16</b>	<b>18</b>
	3.4	7.3	5.93	16	18
	2.1	5.8	3.03	16	19
	2.4	6.1	3.28	16	18
	2.8	6.7	3.89	16	18
	<b>3.1</b>	<b>7.0</b>	<b>4.24</b>	<b>16</b>	<b>18</b>
	3.4	7.3	4.74	16	18
	2.1	5.8	2.27	16	19
	2.4	6.1	2.46	16	18
	2.8	6.7	2.91	16	18
	<b>3.1</b>	<b>7.0</b>	<b>3.18</b>	<b>16</b>	<b>18</b>
	3.4	7.3	3.56	16	18
	2.1	5.8	1.51	16	19
	2.4	6.1	1.64	16	18
	2.8	6.7	1.94	16	18
	<b>3.1</b>	<b>7.0</b>	<b>2.12</b>	<b>16</b>	<b>18</b>
	3.4	7.3	2.37	16	18
	2.1	5.8	1.14	16	19
	2.4	6.1	1.23	16	18
	2.8	6.7	1.46	16	18
	<b>3.1</b>	<b>7.0</b>	<b>1.59</b>	<b>16</b>	<b>18</b>
	3.4	7.3	1.78	16	18


## Full Circle and Strip Nozzles


R-VAN14-360 (2.4m to 4.6m)					
Arc	Pressure bar	Radius m	Flow l/m	Precip. (mm/h)	
	2.1	4.0	4.16	16	18
	2.4	4.0	4.24	16	19
	2.8	4.3	4.62	15	18
	<b>3.1</b>	<b>4.3</b>	<b>4.81</b>	<b>16</b>	<b>18</b>
	3.4	4.6	5.34	15	18

R-VAN18-360 (4.0m to 5.5m)					
Arc	Pressure bar	Radius m	Flow l/m	Precip. (mm/h)	
	2.1	4.9	6.25	16	18
	2.4	4.9	6.32	16	19
	2.8	5.2	6.81	15	18
	<b>3.1</b>	<b>5.2</b>	<b>7.00</b>	<b>16</b>	<b>18</b>
	3.4	5.5	7.76	15	18

R-VAN24-360 (5.2m to 7.3m)					
Arc	Pressure bar	Radius m	Flow l/m	Precip. (mm/h)	
	2.1	5.8	8.90	16	18
	2.4	6.1	9.54	15	18
	2.8	6.7	11.85	16	18
	<b>3.1</b>	<b>7.0</b>	<b>13.17</b>	<b>16</b>	<b>19</b>
	3.4	7.3	13.67	15	18

R-VANLCS (1.5m x 4.6m)					
Arc	Pressure bar	Radius m	Flow l/m	Precip. (mm/h)	
	2.1	1.2x4.3	0.68	16	16
	2.4	1.5x4.6	0.83	14	14
	2.8	1.5x4.6	0.87	15	15
	<b>3.1</b>	<b>1.5x4.6</b>	<b>0.91</b>	<b>16</b>	<b>16</b>
	3.4	1.5x4.6	0.95	16	16

R-VANSST (1.5m x 9.1m)					
Arc	Pressure bar	Radius m	Flow l/m	Precip. (mm/h)	
	2.1	1.2x8.5	1.36	16	16
	2.4	1.5x9.1	1.67	14	14
	2.8	1.5x9.1	1.74	15	15
	<b>3.1</b>	<b>1.5x9.1</b>	<b>1.82</b>	<b>16</b>	<b>16</b>
	3.4	1.5x9.1	1.89	16	16

R-VANRCS (1.5m x 4.6m)					
Arc	Pressure bar	Radius m	Flow l/m	Precip. (mm/h)	
	2.1	1.2x4.3	0.68	16	16
	2.4	1.5x4.6	0.83	14	14
	2.8	1.5x4.6	0.87	15	15
	<b>3.1</b>	<b>1.5x4.6</b>	<b>0.91</b>	<b>16</b>	<b>16</b>
	3.4	1.5x4.6	0.95	16	16

**Recommended Operating Pressure: 3.1 bar**

For best results, use pressure-regulated Rain Bird PRS45 Spray Heads.

**Note:** All Rotary nozzles tested on 10.2 cm pop-ups

• Performance data taken in zero wind conditions

• Includes interpolation/extrapolation.

■ Square spacing based on 50% diameter of throw

▲ Triangular spacing based on 50% diameter of throw

— Straight-line spacing based on 50% overlap of throw for LCS, SST, and RCS

• Rain Bird reserves the right to update its products, which could result in changes to flow rates.

• R-VAN24 and R-VAN24-360: Do not reduce the radius below 5.2m.

• R-VAN18 and R-VAN18-360: Do not reduce the radius below 4.0m.

• R-VAN14 and R-VAN14-360: Do not reduce the radius below 2.4m.